



# MEGA Series LED Remotes

High output NEMA 4X LED remote head | WET



PROJECT: \_\_\_\_\_  
 FIXTURE TYPE: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 CONTACT/PHONE: \_\_\_\_\_

## PRODUCT DESCRIPTION

Ideal for any high ceiling environment or long tunnel, the MEGA LED remote is the most powerful light in the market, with the largest center-to-center spacing.

The MEGA has an ingress protection and corrosion resistant rating of NEMA 4X. If the installation will be in a wet environment or will be hosed down, the MEGA will guard against any moisture ingress. The MEGA was designed for a challenging environment with a high-strength, die-cast aluminum head and impact resistant acrylic lens.

The MEGA remote comes in 12 - 24V with 9 x 3W LEDs and is suitable for installations both indoors and outdoors.

You can now specify the MEGA as an option on the EC, LX, MFC, NM4, and JC units, as well as N4X-EPX combos.



## product specifications

### construction

The **MEGA** series housings are constructed from corrosion resistant, cast aluminum. Lenses are made from impact resistant acrylic to resist yellowing. The NEMA 4X design of the **MEGA** is fully gasketed for protection against wet and dust-filled environments.

### HEADS

Each **MEGA** can be configured with one or two heads. Each head consumes 30W. The **MEGA** is available in a round style with 1400 lumens or square style with 2500 lumens.



## features

- 1400 and 2500 lumen packages
- NEMA 4X rated for wet and corrosive environments
- Stainless steel mounting hardware
- Die-cast aluminum head and impact resistant acrylic lens
- Up to 175 (RD) or 250 (SQ) foot spacing on center



## installation

### mounting

The **MEGA** series of remotes fixtures are suitable for surface wall and surface ceiling in both indoor and outdoor environments.



## ORDERING INFORMATION

model	output	# heads	voltage
MEGA	RD30 (1400 LM)	1 (single head)	12-24VDC
	SQ30 (2500 LM)	2 (double head)	

Ordering Example: MEGA-SQ30-2-12-24VDC



# MEGA Series LED Remotes


High output NEMA 4X LED remote head | WET




PROJECT: \_\_\_\_\_  
 FIXTURE TYPE: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 CONTACT/PHONE: \_\_\_\_\_

## DIMENSIONS


**MEGA-RD30-1**




**MEGA-RD30-2**



**MEGA-SQ30-1**



**MEGA-SQ30-2**



Model	A	B	C	D	E
MEGA-RD30-1 Single	191mm 7 1/2"	114mm 4 1/2"	114mm 4 1/2"	57mm 2 1/4"	10mm 4"
MEGA-RD30-2 Double		254mm 10"			10mm 4"
MEGA-SQ30-1 Single	178mm 7"	108mm 4 1/4"	121mm 4 3/4"	64mm 2 1/2"	10mm 4"
MEGA-SQ30-2 Double		279mm 11"			10mm 4"



# MEGA Series LED Remotes




High output NEMA 4X LED remote head | WET






PROJECT: \_\_\_\_\_  
 FIXTURE TYPE: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 CONTACT/PHONE: \_\_\_\_\_

## PHOTOMETRICS




### CEILING MOUNT RD30





### RD30



### RD30



### WALL MOUNT RD30





# MEGA Series LED Remotes




High output NEMA 4X LED remote head | WET






PROJECT: \_\_\_\_\_  
 FIXTURE TYPE: \_\_\_\_\_  
 LOCATION: \_\_\_\_\_  
 CONTACT/PHONE: \_\_\_\_\_

## PHOTOMETRICS

### CEILING MOUNT SQ30



### SQ30



### WALL MOUNT SQ30

